

SAFETY DATA SHEET

Foam Soap Fresh

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

▼ Trade name

Foam Soap Fresh

Other names / Synonyms

86450, 86481, 86573

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cosmetic product

Product code (A.I.S.E.)

AISE-C0001 / Cosmetic, not applicable.

Use descriptors (REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU 20	Health services
LCS "C"	Consumer uses: Private households (= general public = consumers)
Product category	Description
PC 39	Cosmetics, personal care

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Metsä Tissue Oyj

Customer Service

35801 Mänttä

Finland

+358 (0)10 464 7222

+358 3 474 2957

www.katrin.com

Contact person

Eija Saski

E-mail

info.katrin.sds@metsagroup.com

Revision

25/02/2026

SDS Version

3.0

Date of previous version

21/05/2024 (2.0)

1.4. ▼ Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)
Scotland - Dial 111 to reach NHS 24 (24 hour service)
Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)
See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s)

Not applicable.

Signal word

Not applicable.

Hazard statement(s)

Not applicable.

Precautionary statement(s)

▼ General

Not applicable.

▼ Prevention

Not applicable.

▼ Response

Not applicable.

▼ Storage

Not applicable.

▼ Disposal

Not applicable.

▼ Hazardous substances

Does not contain any substances required to report

Additional labelling

EUH210, Safety data sheet available on request.

2.3. Other hazards

▼ Additional warnings

Cosmetic products are exempt classification rules, but must comply with the cosmetics legislation.

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
sodium 2-(2-dodecyloxyethoxy)ethyl sulphate	CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %) Aquatic Chronic 3, H412	[19]
linalool	CAS No.: 78-70-6 EC No.: 201-134-4 UK-REACH: Index No.: 603-235-00-2	<0.01%	Skin Sens. 1B, H317	

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	CAS No.: 54464-57-2 EC No.: 259-174-3 UK-REACH: Index No.:	<0.01%	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410 (M=1)
Eugenol	CAS No.: 97-53-0 EC No.: 202-589-1 UK-REACH: Index No.:	<0.0015%	Skin Sens. 1B, H317 Eye Irrit. 2, H319

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

▼ Inhalation

In case of discomfort: bring the person into fresh air.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

▼ Eye contact

Rinse gently with lukewarm water. Remove any contact lenses if this is easy to do. Continue rinsing. In case of persistent eye irritation or discomfort: Seek medical help.

▼ Ingestion

Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued discomfort: seek medical assistance and bring this safety data sheet.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. ▼ Advice for firefighters

No specific requirements.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼ Conditions for safe storage, including any incompatibilities

Recommended storage material

Always store in containers of the same material as the original container.

Storage conditions

Room temperature 18 to 23°C (Storage on stock, 3 to 8°C)

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

glycerol

Long term exposure limit (8 hours) (mg/m³): 10

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

▼ DNEL

2-phenoxyethanol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	10.42 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	20.83 mg/kg bw/day
Long term – Local effects - General population	Inhalation	2.41 mg/m ³
Long term – Local effects - Workers	Inhalation	5.7 mg/m ³
Long term – Systemic effects - General population	Inhalation	2.41 mg/m ³
Long term – Systemic effects - Workers	Inhalation	5.7 mg/m ³
Long term – Systemic effects - General population	Oral	9.23 mg/kg bw/day
Short term – Systemic effects - General population	Oral	9.23 mg/kg bw/day

Eugenol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	3 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	6 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	5.22 mg/m ³
Long term – Systemic effects - Workers	Inhalation	21.2 mg/m ³
Long term – Systemic effects - General population	Oral	3 mg/kg bw/day

glycerol

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	132 mg/m ³
Long term – Local effects - Workers	Inhalation	220 mg/m ³

sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	79 µg/cm ²
Long term – Local effects - Workers	Dermal	132 µg/cm ²
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	52 mg/m ³
Long term – Systemic effects - Workers	Inhalation	175 mg/m ³
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day

sodium benzoate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	31.25 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	62.5 mg/kg bw/day
Long term – Local effects - General population	Inhalation	60 µg/m ³
Long term – Local effects - Workers	Inhalation	100 µg/m ³
Long term – Systemic effects - General population	Inhalation	1.5 mg/m ³
Long term – Systemic effects - Workers	Inhalation	3 mg/m ³
Long term – Systemic effects - General population	Oral	16.6 mg/kg bw/day

▼ PNEC

2-phenoxyethanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		943 µg/L
Freshwater sediment		7.237 mg/kg
Intermittent release (freshwater)		3.44 mg/L
Marine water		94.3 µg/L
Marine water sediment		723.7 µg/kg
Sewage treatment plant		36 mg/L
Soil		1.31 mg/kg

Eugenol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		201.5 µg/L

Freshwater sediment	14.488 mg/kg
Intermittent release (freshwater)	11.3 µg/L
Marine water	20.15 µg/L
Marine water sediment	1.449 mg/kg
Soil	15.5 µg/kg

glycerol

Route of exposure:	Duration of Exposure:	PNEC:
Sewage treatment plant		1 g/L

sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		240 µg/L
Freshwater sediment		916.8 µg/kg
Intermittent release (freshwater)		71 µg/L
Marine water		24 µg/L
Marine water sediment		91.7 µg/kg
Sewage treatment plant		10 g/L
Soil		7.5 mg/kg

sodium benzoate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		130 µg/L
Freshwater sediment		1.76 mg/kg
Intermittent release (freshwater)		305 µg/L
Marine water		13 µg/L
Marine water sediment		176 µg/kg
Predators		300 mg/kg
Sewage treatment plant		10 mg/L
Soil		60 µg/kg

8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

▼ Hygiene measures

Wash hands after use.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

▼ Generally

No specific requirements.

▼ Respiratory Equipment

No specific requirements.

Skin protection

No specific requirements.

Hand protection

No specific requirements.

Eye protection

No specific requirements.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state

Liquid

Colour

Clear

Odour / Odour threshold

Pleasant

pH

4,5

Density (g/cm³)

1.01

▼ Kinematic viscosity

No data available.

Particle characteristics

Does not apply to liquids.

Phase changes

▼ Melting point/Freezing point (°C)

No data available.

Softening point/range (°C)

Does not apply to liquids.

▼ Boiling point (°C)

No data available.

▼ Vapour pressure

No data available.

▼ Relative vapour density

No data available.

▼ Decomposition temperature (°C)

No data available.

Data on fire and explosion hazards

▼ Flash point (°C)

No data available.

▼ Flammability (°C)

No data available.

▼ Auto-ignition temperature (°C)

No data available.

▼ Lower and upper explosion limit (% v/v)

No data available.

Solubility

Solubility in water

Completely soluble

▼ **n-octanol/water coefficient (LogKow)**

No data available.

▼ **Solubility in fat (g/L)**

No data available.

9.2. Other information

Other physical and chemical parameters

No data available.

▼ **Oxidizing properties**

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. ▼ Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼ **Acute toxicity**

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2870 mg/kg

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg

Product/substance	2-phenoxyethanol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>740 mg/kg

Product/substance	2-phenoxyethanol
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>1000 mg/m³

Product/substance	2-phenoxyethanol
-------------------	------------------

Species: Rat
Route of exposure: Dermal
Test: LD50
Result: 14391 mg/kg

Product/substance glycerol
Species: Rat
Route of exposure: Oral
Test: LD50
Result: 27200 mg/kg

Product/substance glycerol
Species: Rat
Route of exposure: Inhalation
Test: LC50
Result: 4655 mg-min/L 7 h ·

Product/substance glycerol
Species: Guinea pig
Route of exposure: Dermal
Test: LD50
Result: 45 ml/kg ·

Product/substance sodium benzoate
Species: Rat
Route of exposure: Oral
Test: LD50
Result: 3140 mg/kg

Product/substance sodium benzoate
Species: Rat
Route of exposure: Inhalation
Test: LC50
Result: >12200 mg/m³

Product/substance sodium benzoate
Species: Rabbit
Route of exposure: Dermal
Test: LD50
Result: >2000 mg/kg

Based on available data, the classification criteria are not met.

▼ Skin corrosion/irritation

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Test method: OECD 404
Species: Rabbit
Duration: 4 hours
Other information: reversible

Product/substance 2-phenoxyethanol
Test method: OECD 404
Species: Rabbit
Duration: 4 hours
Other information: reversible

Product/substance glycerol
Test method: no guideline followed
Species: Rabbit
Duration: 24 hours

Result: No adverse effect observed (Not irritating)
Other information: reversible

Product/substance: sodium benzoate
Test method: OECD 404
Species: Rabbit
Duration: 4 hours
Other information: reversible

Based on available data, the classification criteria are not met.

▼ Serious eye damage/irritation

Product/substance: 2-phenoxyethanol
Test method: OECD 405
Species: Rabbit
Other information: reversible

Product/substance: glycerol
Test method: no guideline followed
Species: Rabbit
Duration: 7 days
Other information: reversible

Product/substance: sodium benzoate
Test method: OECD 405
Species: Rabbit
Duration: 24 hours
Other information: reversible

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

▼ Skin sensitisation

Product/substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Test method: OECD 406
Species: Guinea pig
Result: No adverse effect observed (not sensitising)

Product/substance: 2-phenoxyethanol
Test method: OECD 406
Species: Guinea pig
Result: No adverse effect observed (not sensitising)

Based on available data, the classification criteria are not met.

▼ Germ cell mutagenicity

Product/substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Test method: OECD 476
Species: Mouse
Conclusion: No adverse effect observed

Product/substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Test method: OECD 475
Species: Mouse
Conclusion: No adverse effect observed

Product/substance: 2-phenoxyethanol
Test method: OECD 474
Species: Mouse
Conclusion: No adverse effect observed

Product/substance 2-phenoxyethanol
 Test method: OECD 471
 Species: Bacteria
 Conclusion: No adverse effect observed

Product/substance glycerol
 Test method: No guideline followed
 Species: Bacteria
 Conclusion: No adverse effect observed

Product/substance sodium benzoate
 Test method: OECD 471
 Species: Bacteria
 Conclusion: No adverse effect observed

Product/substance sodium benzoate
 Test method: OECD 475
 Species: Rat
 Conclusion: No adverse effect observed

Based on available data, the classification criteria are not met.

▼ Carcinogenicity

Product/substance 2-phenoxyethanol
 Test method: OECD 451
 Species: Mouse
 Conclusion: No adverse effect observed

Product/substance glycerol
 Species: Rat
 Test: NOAEL
 Result: 8000 mg/kg bw/day
 Conclusion: No adverse effect observed

Product/substance sodium benzoate
 Species: Rat
 Test: NOAEL
 Result: >1000 mg/kg
 Conclusion: No adverse effect observed

Based on available data, the classification criteria are not met.

▼ Reproductive toxicity

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
 Test method: OECD 414
 Species: Rat
 Result: 1000 mg/kg bw/day
 Conclusion: No adverse effect observed

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
 Test method: OECD 416
 Species: Rat
 Result: 300 mg/kg bw/day
 Conclusion: No adverse effect observed

Product/substance 2-phenoxyethanol
 Test method: OECD 414
 Species: Rat
 Test: NOAEL
 Result: 300 mg/kg bw/day

Conclusion: No adverse effect observed

Product/substance 2-phenoxyethanol
Species: Mouse
Test: NOAEL
Result: 375 mg/kg bw/day
Conclusion: No adverse effect observed

Product/substance glycerol
Species: Rat
Conclusion: No adverse effect observed

Product/substance sodium benzoate
Species: Rat
Test: NOAEL
Result: 500 mg/kg bw/day
Conclusion: No adverse effect observed

Product/substance sodium benzoate
Species: Rat
Test: NOAEL
Result: 175 mg/kg bw/day
Conclusion: No adverse effect observed

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

▼ Symptoms related to the physical, chemical and toxicological characteristics

None known.

11.2. Information on other hazards

▼ Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

▼ Other information

Eugenol has been classified by IARC as a group 3 carcinogen.

SECTION 12: Ecological information

12.1. ▼ Toxicity

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Species: Fish
Duration: 96 hours
Test: LC50
Result: 7.1 mg/L

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Species: Daphnia
Duration: 48 hours
Test: EC50
Result: 7.4 mg/L

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Species: Algae

Duration:	72 hours
Test:	EC50
Result:	27.7 mg/L

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Species:	Algae
Duration:	72 hours
Test:	NOEC
Result:	0.95 mg/L

Product/substance	2-phenoxyethanol
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	344 mg/L

Product/substance	2-phenoxyethanol
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	488 mg/L

Product/substance	2-phenoxyethanol
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	443 mg/L

Product/substance	glycerol
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	54000 mg/L

Product/substance	glycerol
Species:	Daphnia
Duration:	24 hours
Test:	EC50
Result:	>10000 mg/L

Product/substance	sodium benzoate
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	484 mg/L

Product/substance	sodium benzoate
Species:	Daphnia
Duration:	96 hours
Test:	EC50
Result:	100 mg/L

Product/substance	sodium benzoate
Species:	Algae
Duration:	72 hours
Test:	NOEC
Result:	0.09 mg/L

Product/substance	sodium benzoate
Species:	Algae
Duration:	72 hours
Test:	EC10
Result:	6.5 mg/L

Product/substance	sodium benzoate
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	30.5 mg/L

Based on available data, the classification criteria are not met.

12.2. ▼ Persistence and degradability

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
Conclusion:	-

Product/substance	2-phenoxyethanol
Result:	>90%
Conclusion:	-
Test:	OECD 301 A

Product/substance	glycerol
Conclusion:	-

Product/substance	sodium benzoate
Conclusion:	-

12.3. ▼ Bioaccumulative potential

Product/substance	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate
LogKow:	0,3000
Conclusion:	-

Product/substance	2-phenoxyethanol
BCF:	0.35
LogKow:	1,2000
Conclusion:	-

Product/substance	glycerol
LogKow:	-1,7500
Conclusion:	-

Product/substance	sodium benzoate
LogKow:	1,8800
Conclusion:	-

12.4. Mobility in soil

2-phenoxyethanol

LogKoc = 1.61, High mobility potential.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

16 10 03* Aqueous concentrates containing dangerous substances

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR/ADN/RID	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

▼ Additional information

Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

▼ Labelling of contents according to Regulation 1223/2009 on cosmetic products "Ingredients"

AQUA (SOLVENTS), SODIUM LAURETH SULFATE (SURFACTANTS), PHENOXYETHANOL (PRESERVATIVES), GLYCERIN (HUMECTANTS), COCAMIDOPROPYL BETAINE (SURFACTANTS), SODIUM BENZOATE (PRESERVATIVES), PEG-4 RAPESEEDAMIDE (SURFACTANTS), CITRIC ACID (BUFFERING AGENTS), AMMONIUM LAURYL SULFATE (SURFACTANTS), DIPROPYLENE GLYCOL (PARFUM), PARFUM (PARFUM), D-LIMONENE (PARFUM), PARFUM (PARFUM), LINALOOL (PARFUM), LINALYL ACETATE (PARFUM), ETHYL LINALOOL (PARFUM), PARFUM (PARFUM), 2,6-DIMETHYL-7-OCTEN-2-OL (PARFUM), OCTAHYDRO-METHOXY-TETRAMETHYL-METHANOAZULENE (PARFUM), GERANIOL (PARFUM), CITRONELLOL (PARFUM), GERANYL ACETATE (PARFUM), 2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (PARFUM), PARFUM (PARFUM), 4-METHYL-3-DECEN-5-OL/METHYL DECENOL (PARFUM), PARFUM (PARFUM), PARFUM (PARFUM), CITRAL (PARFUM)

Additional information

Not applicable.

Sources

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

▼ Full text of H-phrases as mentioned in section 3

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H410, Very toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU 20 = Health services

LCS "C" = Consumer uses: Private households (= general public = consumers)

PC 39 = Cosmetics, personal care

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWG = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required by UK-REACH.

The safety data sheet is validated by

Janie Madsen

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en