





Product	MetsäBoard Prime WKL 125–250 g/m <sup>2</sup>		
Company	Metsä Board Corporation		
Mill	Kemi mill		
Information g	athered from 1.1.2023	to 31.12.2023	Date of issue 3.4.2024

## PRODUCT ENVIRONMENTAL DATASHEET FOR PAPERBOARD

#### **ENVIRONMENTAL MANAGEMENT**

Certified environmental management system at the mill since 1995

Company systems ensure traceability of the origin of wood: YES  $\chi$  NO 100% RECOVERED PAPER

Certified environmental management system for wood procurement and board and pulp production according to ISO 14001. Certified PEFC Chain of Custody (PEFC/02-31-92) and FSC® Chain of Custody (FSC-C001580). Certificates are available at Metsä Board's web page.

### **ENVIRONMENTAL PARAMETERS**

The figures are based on methods and procedures of measurement approved by the local (or national) environmental regulators at the production site. The figures include both pulp and paperboard production.

Water	COD	11.2	kg/tonne
	AOX	0.098	kg/tonne
	NTot	0.179	kg/tonne
	PTot	0.011	kg/tonne
Air	SO2	0.09	kg/tonne
	NOx	1.07	kg/tonne
	CO2 (fossil)*	59	kg/tonne

<sup>\*</sup>This figure does not represent a full scope 1,2 & 3 of CO2 footprint and neither of carbon offsetting emissions.

Solid waste landfilled 2.3 BDkg/tonne


Purchased electricity consumption\*

/tonne of final product 573 kWh

## More information

Contact	Panu Räsänen	
Address	Metsä Board Kemi	
	Tehdastie 94, FI-94200 Kemi	

### PRODUCT COMPOSITION



This product contains biogenic carbon, equivalent to 1375 kg of CO2 per tonne of product.

Phone +358 (0) 50 598 9046

e-mail panu.rasanen@metsagroup.com

<sup>\*</sup> Any CO2 fossil emissions related to the purchased electricity are not reported.

## SUPPLEMENTARY SHEETS TO PAPER PROFILE

# MetsäBoard Prime WKL 125–250 g/m<sup>2</sup>

## Metsä Board Kemi mill, Finland

MetsäBoard Prime WKL is a double coated white-top kraftliner suitable for flexo pre- and postprinting, offset and digital inkjet printing. Designed for high quality brands, MetsäBoard Prime WKL has a smooth surface that provides superb gloss and colour density in both corrugated packaging and point-of-sale applications. Its uniform ink lay-down properties enable excellent reproduction of detailed half-tone pictures and brand colours. Its superb strength is excellent for box performance as well as for special effects. MetsäBoard Prime WKL is safe for food packaging and performs very well in digital preprint applications.

#### 1. MILL INFORMATION

Metsä Board Kemi mill produces linerboard. The annual capacity of the mill is 465,000 tonnes of coated and uncoated white top kraftliner for high-quality corrugated retail and consumer packaging.

The main markets are Europe and North America. Vessels are used to transport the products from either Ajos port in Kemi or ports in Southern Finland to terminals in Europe and North America. Transport to Ajos port, to Southern Finland and to the Nordic market is serviced by truck.

Metsä Board Kemi mill is situated in the town of Kemi in northern Finland, on an island in the River Kemijoki's delta as it runs into the Gulf of Bothnia. At the same site, there is also a Metsä Fibre's pulp mill that provides water, pulp, energy, wastewater treatment and landfill services for Metsä Board Kemi. Metsä Board only uses Metsä Group's own pulps in its production. More information at our website

#### 2. MAIN ENVIRONMENTAL TARGETS AND PERFORMANCE

Metsä Board's sustainability targets are based on the company's strategy, the materiality assessment of sustainability matters and Metsä Group's sustainability targets, which were updated in 2022 and 2023. With our 2030 sustainability targets, we are committed to safeguarding natural biodiversity, mitigating climate change, reducing emissions and promoting the sustainable use of natural resources. Metsä Board is aiming for 100% fossil free production (i.e. zero fossil-based Scope 1 and 2 CO2 emissions) and products, as well as more efficient energy and water use by the end of 2030.

In 2023, 90% of the energy used by Metsä Board was fossil free, and over 99% of raw and packaging materials came from fossil free sources. Metsä Board's energy efficiency decreased by 5.8% (target minimum +10% by the end of 2030), and the use of process water per product tonne increased by 2% (target -35% by the end of 2030) from 2018.

In 2023, Metsä Board achieved excellent scores in several ESG ratings, including CDP A List in climate change and water security, and A- in forests; the highest Platinum level and high scores in each of the four themes assessed by EcoVadis; and an A- rating in the Ellen MacArthur Foundation's Circulytics circular economy assessment. These and other ratings provide important information of Metsä Board's sustainability ambition to our stakeholders and help us improve our operations further.

Read more in <u>Metsä Board's Annual review 2023</u>, <u>Metsä Board Sustainability Review 2023</u> and <u>sustainability website</u>.

#### 3. MANAGEMENT SYSTEMS

Metsä Board continuously develops the efficiency of its production units to improve resource efficiency and environmental performance. Metsä Board follows up on its environmental impact, for example, in the form of greenhouse gas emissions, energy consumption, water use and waste generation. One of Metsä Board's key duties is to guarantee that all its operations are sustainable and that all its products are safe for people and the environment

All Metsä Board mills have the ISO 22000 certified food safety system, and the mills producing paperboard for food contact, i.e. Kemi, Kyro, Simpele, Äänekoski and Husum board mills, are also certified according to FSSC 22000 food safety system. The FSSC 22000 provides a framework for effectively managing a company's food safety responsibilities and is recognised by the Global Food Safety Initiative (GFSI).

Metsä Board's environmental management follows Metsä Group's Environmental Policy and complies with the ISO 14001 standard. The main principles of the Environmental Policy are environmental responsibility, sustainable forestry, and requiring responsibility in operations also from our suppliers. All production units have the ISO 9001 quality, ISO 14001 environmental, ISO 50001 energy, and ISO 45001 occupational health and safety management systems.

Metsä Board mills are certified according to PEFC and FSC Chain of Custody forest certification systems, which enable full traceability in the wood supply chain. The wood origins of Metsä Board's products are externally verified. Raw materials and services are purchased from suppliers who sign and follow Metsä Group's Supplier Code of Conduct.

#### MANAGEMENT SYSTEMS

ISO 9001 Quality Management	Inspecta No. 6396-07
ISO 14001 Environmental Management	Inspecta No. 6397-06
ISO 22000 Food Safety Management	Inspecta No. 6398-07
FSSC 22000 Food Safety System Certification	Inspecta No. 10581-05
ISO 50001 Energy Management	Inspecta No. 6399-09
ISO 45001 Occupational Health and Safety Management	Inspecta No. 6400-06
PEFC Chain of Custody	INS-PEFC-COC-205328
FSC Chain of Custody	INS-COC-100100

## SUPPLEMENTARY SHEETS TO PAPER PROFILE

# MetsäBoard Prime WKL 125–250 g/m<sup>2</sup>

## Metsä Board Kemi mill, Finland

#### 4. ORIGIN OF WOOD

Regardless of the country of origin or whether it comes from certified or controlled forests, Metsä Group always knows the origin of the wood it uses, ensures its legality and takes measures to prevent the risk of unacceptable practices in the supply chain.

Metsä Group uses wood that comes from sustainably managed forests. Metsä Group's wood procurement is handled by the company's principal owner, Metsäliitto Cooperative. Metsäliitto Cooperative holds PEFC Chain of Custody, FSC Chain of Custody and controlled wood certificates. Metsäliitto Cooperative's wood origin tracing system is included in its certified ISO 9001 quality and 14001 environmental management systems.

Metsä Board uses only fully traceable wood for its products. In 2023, the share of certified wood Metsä Board used was 91%, while worldwide, only 11% of all forests are certified, and the remaining 9% came from controlled forest origins. The certification claim is shown on the delivery documents of each product.

Wood information of the product (gathered from 1.1.2023 to 31.12.2023):

COUNTRY OF WOOD ORIGIN	SHARE OF TOTAL WOOD SUPPLY	NAME OF SPECIES
Finland	96%	spruce ( <i>Picea abies</i> ), pine ( <i>Pinus sylvestris</i> ), birch ( <i>Betula spp.</i> ), aspen ( <i>Populus tremula</i> )
Sweden	3%	spruce ( <i>Picea abies</i> ), pine ( <i>Pinus sylvestris</i> ), birch ( <i>Betula spp.</i> ), aspen ( <i>Populus tremula</i> )
Latvia	<1%	spruce ( <i>Picea abies</i> ), pine ( <i>Pinus sylvestris</i> ), birch ( <i>Betula spp.</i> ), aspen ( <i>Populus tremula</i> )
Estonia	<1%	spruce ( <i>Picea abies</i> ), pine ( <i>Pinus sylvestris</i> ), birch ( <i>Betula spp.</i> ), aspen ( <i>Populus tremula</i> )
Norway	<1%	spruce ( <i>Picea abies</i> ), pine ( <i>Pinus sylvestris</i> ), birch ( <i>Betula spp.</i> ), aspen ( <i>Populus tremula</i> )
		· · · · · · · · · · · · · · · · · · ·

This product fulfils the requirements of EU Timber Regulation and UK Timber Regulation as well as US Lacey Act. More about Metsä Group's wood procurement: <a href="mailto:metsagroup.com">metsagroup.com</a>

#### **5. HANDLING AFTER USE**

#### PRODUCT

The recommended handling after use is recycling but it can also be used for incineration. Preferred handling depends on local conditions and regulations. The product also has both industrial as well as home composting certification.

#### PRODUCT PACKAGING MATERIAL

The packaging material can be recycled or incinerated to produce energy. Preferred handling depends on local conditions and regulations.

#### **6. ENVIRONMENTAL PARAMETERS**

#### COD = CHEMICAL OXYGEN DEMAND

The amount of oxygen consumed in complete chemical oxidation of matter present in waste water.

### AOX = ADSORBABLE ORGANIC HALOGEN COMPOUNDS

Reported as the total amount of chlorine bound to organic compounds in waste water.

N<sub>TOT</sub> = TOTAL AMOUNT OF ORGANIC AND INORGANIC NITROGEN

 $P_{\text{TOT}}$  = TOTAL AMOUNT OF ORGANIC AND INORGANIC PHOSPHORUS

#### SO<sub>2</sub> = SULPHUR DIOXIDE

Total sulphur emissions to air from burning sulphur-containing fuels and from chemical pulp processing, expressed as  $SO_2$ .

### NO<sub>x</sub> = NITROGEN OXIDES (NO AND NO<sub>2</sub>)

Nitrogen oxides emissions to air from combustion processes, expressed as  $NO_2$ .

#### CO<sub>2</sub> = FOSSIL CARBON DIOXIDE

In the context of papermaking, fossil carbon dioxide is generated from the combustion of fossil fuels during the production of pulp and paper.

#### BIOGENIC CARBON

The amount of biomass based carbon stored in the product, expressed as  ${\rm CO}_{\rm o}$ .

# SOLID WASTE = NON-LIQUID WASTE LANDFILLED ON SITE AND/OR ELSEWHERE

Organic and inorganic waste materials are defined, calculated and declared as completely dry matter.

#### PURCHASED ELECTRICITY CONSUMPTION

Amount of purchased electricity per produced tonne of product. Note: Emissions of  $SO_2$ ,  $NO_x$  and  $CO_2$  resulting from external electricity suppliers are not included.



Metsä Board is a producer of lightweight and high-quality folding boxboards, food service boards and white kraftliners. The pure fresh fibres we use in our products are a safe, renewable and recyclable resource, that can be traced back to northern forests. We aim to have completely fossil free mills and raw materials by the end of 2030. We promote a culture of diversity, equality and inclusion.

Metsä Board is listed on the Nasdaq Helsinki. In 2023 our sales totalled EUR 1.9 billion, and we have around 2,300 employees. Metsä Board is part of Metsä Group, whose parent company Metsäliitto Cooperation is owned by over 90,000 Finnish forest owners. The sales of the whole Metsä Group were EUR 6.1 billion.

#### METSÄ BOARD CORPORATION

P.O. Box 20 FI-02021 Metsä, Finland Tel. +358 10 4611 metsagroup.com/metsaboard







